
Valve plug connector, series CON-VP

8941016112

General series information AVENTICS Series CON-VP Valve plug connectors

■ The AVENTICS CON-VP series includes valve connectors for self-assembly to be used between various valve series and sensors. The series complies with EN 175301-803 and covers the connector types form A, B, industry standard B, C and industry standard C.





Technical data

Industry Industrial
Type Valve plugs
Connection type Screws

min. suitable cable \varnothing 6.5 mm max. suitable cable \varnothing 9.5 mm

Connector standard EN 175301-803, form A Certificates CE declaration of conformity

Certificates

CE declaration of conform

UKCA

Shielding

unshielded

with LED Green

Min. ambient temperature -40 °C

Max. ambient temperature 90 °C

Protection class IP67
Protective circuit Varistor

Operational voltage 230 V AC/DC

Electrical connection 1, type Socket



Electrical connection 1, thread size EN 175301-803, form A

Electrical connection 1, number of poles 2+E
Cable exit angle
Cable exit angle 90°
Mounting screw tightening torque 0.4 Nm

Material

Housing material Polyamide

Seal material Nitrile butadiene rubber

Part No. 8941016112


Technical information

For security reasons, the valve plug connector must be plugged properly and centrically. The specified protection class is only valid in assembled and tested state.

Design A as per EN 175301-803



Dimensions



Profile seal

