
# Valve plug connector, series CON-VP

1834484104

General series information AVENTICS Series CON-VP Valve plug connectors

■ The AVENTICS CON-VP series includes valve connectors for self-assembly to be used between various valve series and sensors. The series complies with EN 175301-803 and covers the connector types form A, B, industry standard B, C and industry standard C.





#### Technical data

IndustryIndustrialTypeValve plugsConnection typeScrewsmin. suitable cable  $\emptyset$ 4 mm

min. suitable cable  $\varnothing$  4 mm max. suitable cable  $\varnothing$  8 mm

Connector standard EN 175301-803, form B

Shielding unshielded with LED Yellow
Min. ambient temperature -40 °C

Max. ambient temperature90 °CMax. current1.5 AProtection classIP67

Protective circuit 2 Z-diodes
Operational voltage 24 V AC/DC

Electrical connection 1, type Socket



Electrical connection 1, thread size EN 175301-803, form B

Electrical connection 1, number of poles 2+E
Cable exit angle
Cable exit angle 90°
Mounting screw tightening torque 0.4 Nm

## Material

Housing material Polyamide

Seal material Silicone caoutchouc

Part No. 1834484104


### **Technical information**

For security reasons, the valve plug connector must be plugged properly and centrically. The specified protection class is only valid in assembled and tested state.

Design B as per EN 175301-803



# **Dimensions**



Flat gasket

