


Cresto, Link+ 9582

Connecting lanyard 9582

- 25 mm
- Durable polyamide webbing
- Including connecting link



EN 354 : 2010

Product description

Link+ is a connecting lanyard with a thickness of 25 mm in durable polyamide webbing. The lanyard has a sewn loop and a stainless connecting link. Link+ is only used to extend the connecting point in the back of the harness to easily anchor to horizontal self retractable lanyards (SRL) above the head.

Product properties

Brand	Cresto
Attaching connector 1	Stainless connecting link
Minimum breaking strength - MBS (kN)	22
Energy absorber	No
Fall indicator	No
Material	Polyamide
Maximum load (kg)	140
Maximum number of users	1
Maximum working temperature (c)	100
Minimum working temperature (c)	-40
Rope	25 mm polyamid webbing
PPE-category	Category 3
Declaration of Conformity	Yes
EN-standard	EN 354 : 2010

Warranty	2+1 year when registered in Inspector
Identification	Serial number
Annual inspection	Yes, every 12 months
Life span	10 + 2 years. Product lifecycle 10 years + 2 years stock keeping
Notified body	0402, RISE Research Institutes of Sweden, Box 857, SE-50115 Borås, Sweden
RFID	Yes

Article information

Article number	Article name	Net weight (kg)
012265104	Cresto, Link+, 0.5m	0.19

Article number	Article name	GTIN	Tariff number	Country of origin
012265104	Cresto, Link+, 0.5m	7350015793262	56090000	Spain

Article number	Article name	W(cm)	H(cm)	L(cm)	Gross weight (kg)	Pieces / Pack
012265104	Cresto, Link+, 0.5m	3	40	17	0.21	1