


HITACHI

Your home, the space to feel comfortable

Room Air Conditioners







Wall-Mounted Performance LC

The compact dimensions of this device offer marketleading performance for this size. The Performance series stands for modern design, quiet operation and great features like 4 Way Swing-technology and standard motion sensors. In addition to the classic remote control, you can also control your air conditioner comfortably from your smartphone, tablet or PC.



Model series PPD



| Model (Indoor Units) | | | RAK-50PPD | RAK-60PPD | RAK-70PPD |
|--|---------|-------|-------------------|-------------------|-------------------|
| Nominal Cooling Capacity (min – max) | kW | | 5.00 (1.2 ~ 5.8) | 6.00 (1.2 ~ 6.5) | 7.00 (1.5 ~ 8.0) |
| Nominal Heating Capacity (min – max) | kW | | 6.00 (1.2 ~ 6.8) | 7.00 (1.2 ~ 8.0) | 8.00 (1.5 ~ 8.5) |
| Energy Efficiency Class Cooling / Heating | | | A++/A++ | A++/A+ | A++/A++ |
| Seasonal Efficiency SEER / SCOP (Average Climate) | W / W | | 7.30 / 4.60 | 6.50 / 4.20 | 7.00 / 4.60 |
| Annual Energy Consumption Cooling / Heating | kWh | | 1426 / 245 / 1426 | 1426 / 326 / 1426 | 2030 / 345 / 2030 |
| P design Cooling / Heating | Cooling | kW | 4.7 / 5 / 4.7 | 4.7 / 6 / 4.7 | 6.4 / 7 / 6.4 |
| Dimensions (H × W × D) | mm | | 300 × 900 × 230 | 300 × 900 × 230 | 300 × 1100 × 260 |
| Sound pressure cooling (SL / L / M / H) ⁽⁴⁾ | Cooling | dB(A) | 26-33-39-47 | 30-33-42-48 | 30-35-42-47 |
| Super Low-Low-Medium-High ⁽⁴⁾ | Heating | dB(A) | 26-33-39-47 | 33-34-42-49 | 30-36-42-47 |
| Sound power | dB(A) | | 60 | 60 | 60 |

| Model (Outdoor Units) | | | RAC-50NPD | RAC-60NPD | RAC-70NPD |
|----------------------------------|-------|--|-----------------|-----------------|-----------------|
| Dimensions (H × W × D) | mm | | 750 × 850 × 298 | 750 × 850 × 298 | 800 × 850 × 298 |
| Sound pressure Cooling / Heating | dB(A) | | 50 / 53 | 50 / 53 | 52 / 54 |
| Sound power | dB(A) | | 60 / 65 | 60 / 65 | 60 / 67 |



Hitachi

Johnson Controls Hitachi Air Conditioning Europe S. A. S.

Am Schimmersfeld 5 - 7
40880 Ratingen
Germany

PRODUCT-2018-EN
Subject to alterations

hitachiaircon.com



HITACHI. CERTIFIED QUALITY



The specifications of this catalog may change without prior notice to allow Hitachi Cooling & Heating to incorporate the latest innovations for its customers. The information contained in this catalog is merely informative. Hitachi Cooling & Heating declines any responsibility in the broadest sense, for damage, direct or indirect, arising from the use and / or interpretation of the recommendations in this catalog.

Find the products Hitachi Cooling & Heating with the best service and conditions at your Hitachi Distributor.